

2017

Habitat, Climate, and Raptors as Factors in the Northern Bobwhite Decline: A Multi-Scale Analysis

John T. Edwards

Texas A&M University, Kingsville

Fidel Hernández

Texas A&M University, Kingsville

David B. Wester

Texas A&M University, Kingsville

Leonard A. Brennan

Texas A&M University, Kingsville

Chad Parent

*Michigan State University**See next page for additional authors*Follow this and additional works at: <https://trace.tennessee.edu/nqsp>Part of the [Natural Resources and Conservation Commons](#)

Recommended Citation

Edwards, John T.; Hernández, Fidel; Wester, David B.; Brennan, Leonard A.; Parent, Chad; and Perez, Robert (2017) "Habitat, Climate, and Raptors as Factors in the Northern Bobwhite Decline: A Multi-Scale Analysis," *National Quail Symposium Proceedings*: Vol. 8 , Article 90.

<https://doi.org/10.7290/nqsp08xhbn>

Available at: <https://trace.tennessee.edu/nqsp/vol8/iss1/90>

This article is brought to you freely and openly by Volunteer, Open-access, Library-hosted Journals (VOL Journals), published in partnership with The University of Tennessee (UT) University Libraries. This article has been accepted for inclusion in National Quail Symposium Proceedings by an authorized editor. For more information, please visit <https://trace.tennessee.edu/nqsp>.

Habitat, Climate, and Raptors as Factors in the Northern Bobwhite Decline: A Multi-Scale Analysis

Authors

John T. Edwards, Fidel Hernández, David B. Wester, Leonard A. Brennan, Chad Parent, and Robert Perez

HABITAT, CLIMATE, AND RAPTORS AS FACTORS IN THE NORTHERN BOBWHITE DECLINE: A MULTI-SCALE ANALYSIS

John T. Edwards¹

Caesar Kleberg Wildlife Research Institute, Texas A&M University-Kingsville, 700 University Blvd., Kingsville, TX 78363, USA

Fidel Hernández

Caesar Kleberg Wildlife Research Institute, Texas A&M University-Kingsville, 700 University Blvd., Kingsville, TX 78363, USA

David B. Wester

Caesar Kleberg Wildlife Research Institute, Texas A&M University-Kingsville, 700 University Blvd., Kingsville, TX 78363, USA

Leonard A. Brennan

Caesar Kleberg Wildlife Research Institute, Texas A&M University-Kingsville, 700 University Blvd., Kingsville, TX 78363, USA

Chad J. Parent

Department of Fisheries and Wildlife, Michigan State University, 480 Wilson Rd., East Lansing, MI 48824, USA

Robert M. Perez

Texas Parks and Wildlife Department, La Vernia, TX 78121, USA

ABSTRACT

Landscape-level processes such as habitat loss and fragmentation are primarily responsible for the declines in northern bobwhite (*Colinus virginianus*). These landscape processes generally occur at a scale beyond that of traditional quail studies and may involve not only habitat loss and fragmentation but also broad-scale changes in climate trends and predation risk. However, reductions in usable space and changes in habitat configuration at smaller scales may also reduce population viability. It is therefore imperative to study relationships to bobwhite populations at multiple scales. The objective of our research is to quantify to what extent habitat loss and fragmentation, climate, and predators are affecting quail populations at multiple scales within Texas. Our study area will include the Rolling Plains and Rio Grande Plains ecoregions, which are historic strongholds of bobwhite, though each has seen recent declines. We will examine the relative contributions of 3 general factors (habitat, climate, and predators) on quail populations at multiple scales (ranch, route-level, and landscape). Specifically, these factors include total habitat amount, degree of fragmentation, raptor relative abundance, temperature, and precipitation. We will obtain data from multiple sources to determine quail trends (Breeding Bird Survey and ranch-level data) and relate habitat trends (National Land Cover Database and Texas Ecological Systems Classification Project), raptor abundance (Breeding Bird Survey), and climate factors (PRISM) within a multiple linear regression framework. This study will provide an understanding of 1) to what degree habitat loss and fragmentation are affecting quail populations on Texas rangelands, 2) how other factors such as climate and predators may be compounding these effects, and 3) how these relationships vary at multiple scales.

Citation: Edwards, J. T., F. Hernández, D. B. Wester, L. A. Brennan, C. J. Parent, and R. M. Perez. 2017. Habitat, climate, and raptors as factors in the northern bobwhite decline: a multi-scale analysis. National Quail Symposium Proceedings 8:355.

Key words: landscape, scale, habitat fragmentation, climate, raptors

¹ Email: john.edwards@students.tamuk.edu

© 2017 [Edwards, Hernández, Wester, Brennan, Parent and Perez]
and licensed under CC BY-NC 4.0.