

7-1-1998

Front Matter

Southeastern Fishes Council

Follow this and additional works at: <https://trace.tennessee.edu/sfcproceedings>

 Part of the [Marine Biology Commons](#)

Recommended Citation

Southeastern Fishes Council (1998) "Front Matter," *Southeastern Fishes Council Proceedings*: No. 37.


Available at: <https://trace.tennessee.edu/sfcproceedings/vol1/iss37/2>

This article is brought to you freely and openly by Volunteer, Open-access, Library-hosted Journals (VOL Journals), published in partnership with The University of Tennessee (UT) University Libraries. This article has been accepted for inclusion in Southeastern Fishes Council Proceedings by an authorized editor. For more information, please visit <https://trace.tennessee.edu/sfcproceedings>.

Front Matter

Southeastern Fishes Council Proceedings

DEDICATED TO THE CONSERVATION OF SOUTHEASTERN FISHES



Contents

Status of the ironcolor shiner, *Notropis chalybaeus*, in Mississippi. By Brett Albanese and William T. Slack 1

Morphometric, meristic, and natural history notes on *Menidia beryllina* and *M. peninsulae* in a marginal sympatric area in Perdido Bay, Alabama and Florida. By Royal D. Suttkus and Maurice F. Mettee 7

Erratum 14